


Pre-installation and guideline


Model: *Aviator*



Required parameters for the water used for coffee

- Drinking
- Fresh
- Tasteless - odourless - colourless
- Chlorine - iron - sulphur free
- Total hardness: 51-175 ppm
- Alkalinity: 40-75 ppm
- pH: 6-8


Dimensions	2 groups
Place the machine in a properly ventilated place	
Height	18,22"
Width	33,11"
Depth	24,33"
Weight	229 lbs
Boiler Capacity	2,91 US GAL (11 lt.)
Group Capacity	0,21 US GAL (0,8 lt.)
Power	
Voltage	220
Wattage	7200
Amperage	50 single phase
NEMA Plug and Outlet	6-50P; 6-50R with the plug attached
Water	
Water Connection	3/8" Male
Drain	Ø9 mm internal



For optimal use of the appliance, check that the water supply pressure exceeds 1 bar (100 kPa) and be less than 6 bar (600 kPa). If the incoming water pressure exceeds 6 bar, we recommend to use a pressure reducer.



Dimensions	3 groups
Place the machine in a properly ventilated place	
Height	18,22"
Width	42,83"
Depth	24,33"
Weight	278 lbs
Boiler Capacity	3,7 US GAL (14 lt.)
Group Capacity	0,21 US GAL (0,8 lt.)
Power	
Voltage	220
Wattage	8500
Amperage	50 single phase
NEMA Plug and Outlet	6-50P; 6-50R with the plug attached
Water	
Water Connection	3/8" Male
Drain	Ø9 mm internal



For optimal use of the appliance, check that the water supply pressure exceeds 1 bar (100 kPa) and be less than 6 bar (600 kPa). If the incoming water pressure exceeds 6 bar, we recommend to use a pressure reducer.